

Pt^oC

100 Ω *Platinum RTD_0.00392 coefficient*
temperature in °C

°C	0	1	2	3	4	5	6	7	8	9	10	°C
Resistance in Ohms												
-200	17.08											-200
-190	21.46	21.02	20.58	20.15	19.71	19.27	18.83	18.40	17.96	17.52	17.08	-190
-180	25.80	25.37	24.94	24.50	24.07	23.63	23.20	22.76	22.33	21.89	21.46	-180
-170	30.11	29.68	29.25	28.82	28.39	27.96	27.53	27.10	26.67	26.23	25.80	-170
-160	34.39	33.97	33.54	33.11	32.69	32.26	31.83	31.40	30.97	30.54	30.11	-160
-150	38.65	38.22	37.80	37.37	36.95	36.52	36.10	35.67	35.25	34.82	34.39	-150
-140	42.87	42.45	42.03	41.61	41.19	40.76	40.34	39.92	39.49	39.07	38.65	-140
-130	47.07	46.66	46.24	45.82	45.40	44.98	44.56	44.14	43.72	43.29	42.87	-130
-120	51.25	50.84	50.42	50.00	49.58	49.17	48.75	48.33	47.91	47.49	47.07	-120
-110	55.41	54.99	54.58	54.16	53.75	53.33	52.92	52.50	52.09	51.67	51.25	-110
-100	59.54	59.13	58.72	58.30	57.89	57.48	57.06	56.65	56.24	55.82	55.41	-100
-90	63.66	63.25	62.84	62.43	62.01	61.60	61.19	60.78	60.37	59.96	59.54	-90
-80	67.76	67.35	66.94	66.53	66.12	65.71	65.30	64.89	64.48	64.07	63.66	-80
-70	71.84	71.43	71.02	70.61	70.21	69.80	69.39	68.98	68.57	68.17	67.76	-70
-60	75.90	75.50	75.09	74.68	74.28	73.87	73.47	73.06	72.65	72.24	71.84	-60
-50	79.95	79.55	79.14	78.74	78.33	77.93	77.52	77.12	76.71	76.31	75.90	-50
-40	83.99	83.58	83.18	82.78	82.38	81.97	81.57	81.16	80.76	80.36	79.95	-40
-30	88.01	87.61	87.21	86.80	86.40	86.00	85.60	85.20	84.79	84.39	83.99	-30
-20	92.02	91.62	91.22	90.82	90.42	90.02	89.61	89.21	88.81	88.41	88.01	-20
-10	96.02	95.62	95.22	94.82	94.42	94.02	93.62	93.22	92.82	92.42	92.02	-10
0	100.00	99.60	99.20	98.81	98.41	98.01	97.61	97.21	96.81	96.41	96.02	0
0	100.00	100.40	100.80	101.19	101.59	101.99	102.39	102.78	103.18	103.58	103.97	0
10	103.97	104.37	104.77	105.16	105.56	105.95	106.35	106.75	107.14	107.54	107.93	10
20	107.93	108.33	108.72	109.12	109.52	109.91	110.30	110.70	111.09	111.49	111.88	20
30	111.88	112.28	112.67	113.07	113.46	113.85	114.25	114.64	115.03	115.43	115.82	30
40	115.82	116.21	116.61	117.00	117.39	117.79	118.18	118.57	118.96	119.35	119.75	40
50	119.75	120.14	120.53	120.92	121.31	121.71	122.10	122.49	122.88	123.27	123.66	50
60	123.66	124.05	124.44	124.83	125.22	125.61	126.00	126.39	126.78	127.17	127.56	60
70	127.56	127.95	128.34	128.73	129.12	129.51	129.90	130.29	130.68	131.07	131.45	70
80	131.45	131.84	132.23	132.62	133.01	133.39	133.78	134.17	134.56	134.95	135.33	80
90	135.33	135.72	136.11	136.49	136.88	137.27	137.65	138.04	138.43	138.81	139.20	90
100	139.20	139.59	139.97	140.36	140.74	141.13	141.51	141.90	142.29	142.67	143.06	100
110	143.06	143.44	143.83	144.21	144.59	144.98	145.36	145.75	146.13	146.52	146.90	110
120	146.90	147.28	147.67	148.05	148.43	148.82	149.20	149.58	149.97	150.35	150.73	120
130	150.73	151.11	151.50	151.88	152.26	152.64	153.02	153.41	153.79	154.17	154.55	130
140	154.55	154.93	155.31	155.70	156.08	156.46	156.84	157.22	157.60	157.98	158.36	140
150	158.36	158.74	159.12	159.50	159.88	160.26	160.64	161.02	161.40	161.78	162.16	150
160	162.16	162.54	162.91	163.29	163.67	164.05	164.43	164.81	165.19	165.56	165.94	160
170	165.94	166.32	166.70	167.07	167.45	167.83	168.21	168.58	168.96	169.34	169.71	170

Pt°C

100 Ω *Platinum RTD_0.00392 coefficient*
temperature in °C

°C	0	1	2	3	4	5	6	7	8	9	10	°C
Resistance in Ohms												
180	169.71	170.09	170.47	170.84	171.22	171.60	171.97	172.35	172.73	173.10	173.48	180
190	173.48	173.85	174.23	174.60	174.98	175.35	175.73	176.10	176.48	176.85	177.23	190
200	177.23	177.60	177.97	178.35	178.72	179.10	179.47	179.84	180.22	180.59	180.96	200
210	180.96	181.34	181.71	182.08	182.46	182.83	183.20	183.57	183.95	184.32	184.69	210
220	184.69	185.06	185.43	185.81	186.18	186.55	186.92	187.29	187.66	188.03	188.41	220
230	188.41	188.78	189.15	189.52	189.89	190.26	190.63	191.00	191.37	191.74	192.11	230
240	192.11	192.48	192.85	193.22	193.59	193.96	194.32	194.69	195.06	195.43	195.80	240
250	195.80	196.17	196.54	196.90	197.27	197.64	198.01	198.38	198.74	199.11	199.48	250
260	199.48	199.85	200.21	200.58	200.95	201.31	201.68	202.05	202.41	202.78	203.15	260
270	203.15	203.51	203.88	204.24	204.61	204.98	205.34	205.71	206.07	206.44	206.80	270
280	206.80	207.17	207.53	207.90	208.26	208.63	208.99	209.35	209.72	210.08	210.45	280
290	210.45	210.81	211.17	211.54	211.90	212.26	212.63	212.99	213.35	213.72	214.08	290
300	214.08	214.44	214.80	215.17	215.53	215.89	216.25	216.61	216.98	217.34	217.70	300
310	217.70	218.06	218.42	218.78	219.14	219.51	219.87	220.23	220.59	220.95	221.31	310
320	221.31	221.67	222.03	222.39	222.75	223.11	223.47	223.83	224.19	224.55	224.91	320
330	224.91	225.26	225.62	225.98	226.34	226.70	227.06	227.42	227.78	228.13	228.49	330
340	228.49	228.85	229.21	229.56	229.92	230.28	230.64	230.99	231.35	231.71	232.07	340
350	232.07	232.42	232.78	233.13	233.49	233.85	234.20	234.56	234.92	235.27	235.63	350
360	235.63	235.98	236.34	236.69	237.05	237.40	237.76	238.11	238.47	238.82	239.18	360
370	239.18	239.53	239.89	240.24	240.59	240.95	241.30	241.66	242.01	242.36	242.72	370
380	242.72	243.07	243.42	243.78	244.13	244.48	244.83	245.19	245.54	245.89	246.24	380
390	246.24	246.59	246.95	247.30	247.65	248.00	248.35	248.70	249.06	249.41	249.76	390
400	249.76	250.11	250.46	250.81	251.16	251.51	251.86	252.21	252.56	252.91	253.26	400
410	253.26	253.61	253.96	254.31	254.66	255.01	255.36	255.71	256.06	256.40	256.75	410
420	256.75	257.10	257.45	257.80	258.15	258.49	258.84	259.19	259.54	259.89	260.23	420
430	260.23	260.58	260.93	261.27	261.62	261.97	262.31	262.66	263.01	263.35	263.70	430
440	263.70	264.05	264.39	264.74	265.08	265.43	265.78	266.12	266.47	266.81	267.16	440
450	267.16	267.50	267.85	268.19	268.54	268.88	269.23	269.57	269.91	270.26	270.60	450
460	270.60	270.95	271.29	271.63	271.98	272.32	272.66	273.01	273.35	273.69	274.03	460
470	274.03	274.38	274.72	275.06	275.40	275.75	276.09	276.43	276.77	277.11	277.46	470
480	277.46	277.80	278.14	278.48	278.82	279.16	279.50	279.84	280.18	280.52	280.87	480
490	280.87	281.21	281.55	281.89	282.23	282.57	282.91	283.24	283.58	283.92	284.26	490
500	284.26	284.60	284.94	285.28	285.62	285.96	286.30	286.63	286.97	287.31	287.65	500
510	287.65	287.99	288.32	288.66	289.00	289.34	289.67	290.01	290.35	290.69	291.02	510
520	291.02	291.36	291.70	292.03	292.37	292.71	293.04	293.38	293.71	294.05	294.39	520
530	294.39	294.72	295.06	295.39	295.73	296.06	296.40	296.73	297.07	297.40	297.74	530
540	297.74	298.07	298.41	298.74	299.07	299.41	299.74	300.07	300.41	300.74	301.08	540
550	301.08	301.41	301.74	302.07	302.41	302.74	303.07	303.41	303.74	304.07	304.40	550
560	304.40	304.73	305.07	305.40	305.73	306.06	306.39	306.72	307.06	307.39	307.72	560
570	307.72	308.05	308.38	308.71	309.04	309.37	309.70	310.03	310.36	310.69	311.02	570
580	311.02	311.35	311.68	312.01	312.34	312.67	313.00	313.33	313.66	313.99	314.31	580
590	314.31	314.64	314.97	315.30	315.63	315.96	316.28	316.61	316.94	317.27	317.59	590

Pt^{°C}

100 Ω *Platinum RTD*_ 0.00392 coefficient
temperature in °C

°C	0	1	2	3	4	5	6	7	8	9	10	°C
Resistance in Ohms												
600	317.59	317.92	318.25	318.58	318.90	319.23	319.56	319.88	320.21	320.54	320.86	600
610	320.86	321.19	321.52	321.84	322.17	322.49	322.82	323.14	323.47	323.79	324.12	610
620	324.12	324.44	324.77	325.09	325.42	325.74	326.07	326.39	326.72	327.04	327.36	620
630	327.36	327.69	328.01	328.34	328.66	328.98	329.31	329.63	329.95	330.28	330.60	630
640	330.60	330.92	331.24	331.57	331.89	332.21	332.53	332.85	333.18	333.50	333.82	640
650	333.82	334.14	334.46	334.78	335.11	335.43	335.75	336.07	336.39	336.71	337.03	650
660	337.03											660
_C	0	1	2	3	4	5	6	7	8	9	10	_C